LETTER TO THE EDITOR

Open Access

Bending the endotracheal tube into a U-shape for tracheal intubation



Ko Kakinouchi¹, Keisuke Yoshida^{2*}, Takayuki Hasegawa², Tatsumi Yakushiji² and Satoki Inoue¹

To the Editor,

In recent years, with the increasing use of video laryngoscopes, we have experienced some cases in which an endotracheal tube (ETT) cannot be successfully guided or advanced into the trachea, even though the glottis can be seen. To the best of our knowledge, an appropriate stylet angle has not yet been determined for video laryngoscopes. We here introduce a strategy for tracheal intubation that we sometimes perform when we encounter difficult airways that are not easy to intubate in the usual manner.

Our method for difficult airway is simple; the ETT is bent with a stylet strongly into a U-shape before tracheal intubation (Fig. 1a). After carefully raising the epiglottis directly, insert the ETT with the image of raising up the tongue. We use a McGrath MAC laryngoscope (Aircraft Medical, Edinburgh, UK) for tracheal intubation; therefore, cases in which tracheal visualization is difficult are rare. However, tracheal insertion can be sometimes difficult, especially with video laryngoscopes. In such cases, our U-shaped ETT technique is useful.

To date, there have been some reports that discussed how to bend the ETT (Emsley and Hung 2016; Colla et al., 2007); however, the methods mentioned differ from our own, in terms of how to insert the ETT. Additionally, as the stylet was gently removed, the tip of the U-shaped ETT was automatically guided upwards (ventral) and advanced, as Emsley et al. reported (Emsley and Hung 2016). Moreover, the U-shaped ETT is similar to the Ring-Adair-Elwin (RAE) tube; however, it differs from the RAE tube in that we can also use it as a normal ETT after removing the stylet. In addition, when we unexpectedly encounter such cases after inserting the laryngoscope, our method can be done using one hand without the need to remove the laryngoscope, and without the need for an assistant. The main disadvantage of the U-shaped ETT is that the stylet is a little difficult to remove, so it is important to use a lubricant. Careful

*Correspondence:

Keisuke Yoshida

¹ Department of Anesthesiology, Southern Tohoku General Hospital,

7-115, Yatsuyamada, Koriyama, Fukushima 963-8052, Japan

² Department of Anesthesiology, Fukushima Medical University, 1,

Hikariga-Oka, Fukushima, Fukushima 960-1297, Japan



© The Author(s) 2023. **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit http://creativecommons.org/licenses/by/4.0/.

kei-y7of@fmu.ac.jp



Fig. 1 The schema and fluoroscopic X-ray image of the U-shape ETT with the sagittal section of the airway. The ETT is bent in a U-shape (**a**). After carefully raising the epiglottis directly by the blade of the laryngoscope (**b**), insert the U-shaped ETT with the image of raising up the tongue (**c**–**e**). The four small black arrows in **b** indicate the body of the laryngoscope, the dotted lines indicate its blade, and the solid lines indicate the ETT. As the stylet was gently removed, the tip of the ETT was automatically advanced (**e**, **f**). ETT, endotracheal tube

operation is essential when pulling out the stylet so as not to damage the inside of the trachea. The method presented here does not require additional tools or personnel; therefore, we hope that our simple method of using a U-shaped ETT will become a standard option for airway management.

Abbreviations

ETT	Endotracheal tube
RAE	Ring-Adair-Elwin

Acknowledgements

The authors would like to thank the Scientific English Editing Section of Fukushima Medical University for their work on this manuscript. The authors also would like to thank the Study Group of Young Anesthesiologists in Fukushima for their meaningful discussions. In addition, the authors would like to thank our colleague Saori Kase, because our discussion in the car on the way home from her wedding party inspired us to write this manuscript.

Authors' contributions

KK developed the U-shape bending method and educated the other authors about the method. KY prepared the manuscript. TH and TY improved the original method and helped to draft the manuscript. SI helped to draft the manuscript. All authors have read and approved the manuscript.

Funding

Not applicable.

Availability of data and materials

Not applicable.

Declarations

Ethics approval and consent to participate

In our institution, Institutional Review Board approval is not required for a case report. The IRB determined that there were no problems with obtaining fluoroscopic images for this presentation if written informed consent was obtained from the patient.

Consent for publication

Written informed consent for publication of this manuscript was obtained from the patient.

Competing interests

The authors declare that they have no competing interests.

Received: 18 January 2023 Accepted: 22 July 2023 Published online: 08 August 2023

References

- Emsley JG, Hung OR (2016) A "VL tube" for endotracheal intubation using video laryngoscopy. Can J Anaesth 63:782–783
- La Colla L, La Colla G, Poli D, Albertin A (2007) A new twist in approaching difficult tracheal intubation. Description of an economic, easy, and effective way: the sigma way. Anesthesiology 106:1069–70

Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Submit your manuscript to a SpringerOpen[⊗] journal and benefit from:

- ► Convenient online submission
- ► Rigorous peer review
- ► Open access: articles freely available online
- ► High visibility within the field
- ▶ Retaining the copyright to your article

Submit your next manuscript at ► springeropen.com